

Traction

Traction Single cell (2V-DIN)

Battery type	Capacity, AH	Dimension (mm)				Weight (+/-5%) Kg	
		L	W	H	Total Height	Dry	With Acid
2RD120	2V 120AH@5HR	47	198	340	370	6.3	8.4
3RD180	2V 180AH@5HR	65	198	340	370	8.8	11.8
4RD240	2V 240AH@5HR	83	198	340	370	11.4	15.5
5RD300	2V 300AH@5HR	101	198	340	370	14.2	19.0
6RD360	2V 360AH@5HR	119	198	340	370	16.5	22.5
7RD420	2V 420AH@5HR	137	198	340	370	19.2	26.1
8RD480	2V 480AH@5HR	155	198	340	370	21.8	29.8
9RD540	2V 540AH@5HR	173	198	340	370	24.4	33.5
10RD600	2V 600AH@5HR	191	198	340	370	27.4	37.8
2RD160	2V 160AH@5HR	47	198	405	435	7.3	9.8
3RD240	2V 240AH@5HR	65	198	405	435	10.3	14.0
4RD320	2V 320AH@5HR	83	198	405	435	13.2	18.1
5RD400	2V 400AH@5HR	101	198	405	435	16.5	22.6
6RD480	2V 480AH@5HR	119	198	405	435	19.4	26.6
7RD560	2V 560AH@5HR	137	198	405	435	22.7	31.1
8RD640	2V 640AH@5HR	155	198	405	435	25.6	35.2
9RD720	2V 720AH@5HR	173	198	405	435	31.3	42.1
10RD800	2V 800AH@5HR	191	198	405	435	34.8	46.8
2RD180	2V 180AH@5HR	47	198	475	505	9.0	12.0
3RD270	2V 270AH@5HR	65	198	475	505	12.6	16.9
4RD360	2V 360AH@5HR	83	198	475	505	16.0	21.6
5RD450	2V 450AH@5HR	101	198	475	505	19.2	26.3
6RD540	2V 540AH@5HR	119	198	475	505	22.4	31.1
7RD630	2V 630AH@5HR	137	198	475	505	26.1	36.1
8RD720	2V 720AH@5HR	155	198	475	505	30.0	40.8
9RD810	2V 810AH@5HR	173	198	475	505	33.4	45.5
10RD900	2V 900AH@5HR	191	198	475	505	36.4	50.3
2RD210	2V 210AH@5HR	47	198	511	541	9.4	13.0
3RD315	2V 315AH@5HR	65	198	511	541	13.9	18.5
4RD420	2V 420AH@5HR	83	198	511	541	18.2	24.2
5RD525	2V 525AH@5HR	101	198	511	541	22.3	29.8
6RD630	2V 630AH@5HR	119	198	511	541	26.6	35.4
7RD735	2V 735AH@5HR	137	198	511	541	30.9	41.0
8RD840	2V 840AH@5HR	155	198	511	541	35.5	46.6
9RD945	2V 945AH@5HR	173	198	511	541	39.9	52.2
10RD1050	2V 1050AH@5HR	191	198	511	541	44.4	57.8
2RD280	2V 280AH@5HR	47	198	685	715	13.6	19.1
3RD420	2V 420AH@5HR	65	198	685	715	18.9	25.4
4RD560	2V 560AH@5HR	83	198	685	715	25.2	32.9

5RD700	2V 700AH@5HR	101	198	685	715	30.3	39.9
6RD840	2V 840AH@5HR	119	198	685	715	35.1	47.2
7RD980	2V 980AH@5HR	137	198	685	715	40.8	54.8
8RD1120	2V 1120AH@5HR	155	198	685	715	46.4	62.3
9RD1260	2V 1260AH@5HR	173	198	685	715	53.0	71.0
10RD1400	2V 1400AH@5HR	191	198	685	715	57.3	76.7

Traction Single cell (2V-BS)

Battery type	Capacity, AH	Dimension (mm)				Weight (+/-5%) Kg	
		L	W	H	Total Height	Dry	With Acid
2RB64	2V 64AH@5HR	45	158	262	292	4.2	5.4
3RB96	2V 96AH@5HR	61	158	262	292	5.7	7.3
4RB128	2V 128AH@5HR	77	158	262	292	7.2	9.2
5RB160	2V 160AH@5HR	93	158	262	292	8.9	11.3
6RB192	2V 192AH@5HR	109	158	262	292	10.3	13.2
7RB224	2V 224AH@5HR	125	158	262	292	11.9	15.2
8RB256	2V 256AH@5HR	141	158	262	292	13.5	17.2
9RB288	2V 288AH@5HR	157	158	262	292	14.9	19.1
10RB320	2V 320AH@5HR	173	158	262	292	16.4	21.1
2RB84	2V 84AH@5HR	45	158	328	358	5.4	6.9
3RB126	2V 126AH@5HR	61	158	328	358	7.3	9.4
4RB168	2V 168AH@5HR	77	158	328	358	9.3	11.9
5RB210	2V 210AH@5HR	93	158	328	358	11.4	14.5
6RB252	2V 252AH@5HR	109	158	328	358	13.4	17.1
7RB294	2V 294AH@5HR	125	158	328	358	15.4	19.7
8RB336	2V 336AH@5HR	141	158	328	358	17.3	22.2
9RB378	2V 378AH@5HR	157	158	328	358	19.6	25.1
10RB420	2V 420AH@5HR	173	158	328	358	21.6	27.6
2RB110	2V 110AH@5HR	45	158	398	428	6.6	8.4
3RB165	2V 165AH@5HR	61	158	398	428	9.0	11.5
4RB 220	2V 220AH@5HR	77	158	398	428	11.4	14.6
5RB 275	2V 275AH@5HR	93	158	398	428	13.9	17.8
6RB 330	2V 330AH@5HR	109	158	398	428	16.3	20.9
7RB 385	2V 385AH@5HR	125	158	398	428	18.8	24.0
8RB 440	2V 440AH@5HR	141	158	398	428	21.3	27.2
9RB 495	2V 495AH@5HR	157	158	398	428	23.8	30.3
10RB 550	2V 550AH@5HR	173	158	398	428	26.2	33.3
2RB130	2V 130AH@5HR	45	158	454	484	7.5	9.6
3RB 195	2V 195AH@5HR	61	158	454	484	10.3	13.2
4RB 260	2V 260AH@5HR	77	158	454	484	13.1	16.8
5RB 325	2V 325AH@5HR	93	158	454	484	16.1	20.5
6RB 390	2V 390AH@5HR	109	158	454	484	18.9	24.1
7RB 455	2V 455AH@5HR	125	158	454	484	21.7	27.7
8RB 520	2V 520AH@5HR	141	158	454	484	24.6	31.4

9RB 585	2V 585AH@5HR	157	158	454	484	27.4	35.0
10RB 650	2V 650AH@5HR	173	158	454	484	30.1	38.5
2RB 150	2V 150AH@5HR	45	158	511	541	8.6	10.9
3RB 225	2V 225AH@5HR	61	158	511	541	11.6	14.9
4RB 300	2V 300AH@5HR	77	158	511	541	14.9	19.0
5RB 375	2V 375AH@5HR	93	158	511	541	18.1	23.1
6RB 450	2V 450AH@5HR	109	158	511	541	21.3	27.3
7RB 525	2V 525AH@5HR	125	158	511	541	24.6	31.4
8RB 600	2V 600AH@5HR	141	158	511	541	27.9	35.6
9RB 675	2V 675AH@5HR	157	158	511	541	30.9	39.5
10RB 750	2V 750AH@5HR	173	158	511	541	34.2	43.7
2 RB 216	2V 216AH@5HR	45	158	683	713	11.7	14.8
3 RB 324	2V 324AH@5HR	61	158	683	713	16.1	20.4
4 RB 432	2V 432AH@5HR	77	158	683	713	20.5	26.1
5 RB 540	2V 540AH@5HR	93	158	683	713	24.9	31.7
6 RB 648	2V 648AH@5HR	109	158	683	713	29.2	37.3
7 RB 756	2V 756AH@5HR	125	158	683	713	33.6	43.0
8 RB 864	2V 864AH@5HR	141	158	683	713	38.1	48.7
9 RB 972	2V 972AH@5HR	157	158	683	713	42.8	54.7
10 RB 1080	2V 1080AH@5HR	173	158	683	713	43.2	56.4